

KOKOMO FARM FENCE

MANUFACTURED BY

Kokomo Steel & Wire Co.

KOKOMO, INDIANA, U. S. A.







The Kokomo Standard and Special

GRADUATED DIAMOND MESH FARM FENCE



MANY efforts have been made by fence manufacturers to build a fence that would meet the universal demand and after countless unsuccessful trials have finally found it necessary to adopt a certain style of fencing and attempt to create a demand for same.

A successful fence must be closely woven at the bottom so as to turn hogs, poultry and small animals while it must have sufficient strength at the top as well as bottom to turn large and unruly animals. If the line wires in a fence are the same distance apart throughout, the fence is too expensive. If you leave any line wires out you weaken the fence more than you can overcome by the use of cable wires. This being the case there is but one solution, **"Build a Fence with the Spacing of the Line Wires Graduated from Bottom to Top, then you secure a Fence that will Turn all Stock from the Smallest to the Largest."**

It is a pleasure to us to bring to your attention, The Kokomo Corrugated Graduated Diamond Mesh Steel Farm Fence, because it is Ideal in Construction, Strong and Durable and in fact is a fence that will fill the long felt wants.

CORRUGATED.

The line wires in our fence being corrugated the fence is provided for contraction and expansion and after being stretched and attached to the posts you will not find it necessary to take up the slack as is the case with straight wire fencing.

MATERIAL.

Our fencing is made from the best grade of steel galvanized wire, consequently it must maintain its shape.

SIZE OF WIRE USED.

In our Special Fence we use No. 9 wire for top and bottom, the intermediate line wires being Nos. 12 and 14 which are alternated throughout the fence. As an illustration will refer you to style No. 25. In this fence the same as in all our Special Fences the bottom wire is No. 9 then a No. 12, 14, 12, 14, etc., alternating in this manner to the top wire which is No. 9. We also make this fence with all intermediate line wires No. 12 which makes an extra heavy fence, and is known and listed as our Standard. The Mesh wire in both the Kokomo Special and Standard Fence is No. 14.

ADVANTAGES OF A GRADUATED DIAMOND MESH FENCE.

The advantages of a graduated diamond mesh fence are numerous. In the first place you secure a close mesh at the bottom because the line wires are close together and you thus secure double strength where it should be, then owing to the gradual widening of the distance between

the line wires, the strength of the fence is properly proportioned from top to bottom and while your spacing is wider at the top the strength is there and it fences against large stock as effectively as it does against hogs.


We are more than pleased with the reception accorded our fencing, and solicit correspondence regarding same which will have our prompt attention. We are

Yours very truly,

Kokomo Steel & Wire Co.


Kokomo, Ind., U. S. A.

R. P. SMITH,
HOUSTON.
GENERAL SALES AGENT
for Texas.




Style No. 25


This cut shows our Special Graduated Diamond Mesh 60" fence. No. 9 wires are used for top and bottom; No. 12 and 14 for intermediate line wires and No. 14 for mesh wire. The No's 12 and 14 intermediate line wires are alternated throughout the fence beginning with a No. 12 wire next to the bottom wire which is No. 9.



This cut represents our style No. 25 fence and shows the different heights that can be made.




This cut represents our 30 inch hog fence made with No. 9 top and bottom wires, No. 12 and 14 intermediate and No. 14 mesh wire and is listed in style No. 25.




Style No. 26.


The above cut shows our Special Graduated Diamond Mesh Fence 57 inches high and is made with No. 9 top and bottom wire, the balance of the line wires being No. 12 and No. 14 alternating. The Mesh wire is No. 14.



This cut represents our style No. 26 fence and shows the different heights that can be made.




This cut shows our Special Graduated Mesh hog fence 27 inches in height made with 3 3-inch spaces and 4 4½-inch spaces. The top and bottom wires are No. 9. The intermediate line wires No's 12 and 14, with No. 14 mesh wire and is listed in style 26. The barb wire at the top is not included in cost of fence



Style No. 27.

This cut represents a servicable 30-inch farm fence which is less expensive than our Special fence as less wire is used it being made with 2 3-inch spaces at bottom then 4 4½-inch spaces with 1 6-in. space at the top. No. 9 wire is used for top and bottom. No. 12 and 14 intermediate and No. 14 mesh wire.



The above cut shows a satisfactory way to set your corner, end and gate posts.

PRICES TO AGENTS.

Kokomo Farm Fences

STYLE	HEIGHT	WT. PER ROD	PRICE PER ROD
KOKOMO SPECIAL FENCE STYLE 25.	60 in.	12. lbs.	\$.94
	54 in.	11.3 lbs.	.88
	48 in.	10.5 lbs.	.82
	42 in.	9 6 lbs.	.75
	36 in.	8.6 lbs.	.67
	30 in.	7.8 lbs.	.61
	25½ in.	6.9 lbs.	.54
	21 in.	6.2 lbs.	.49
KOKOMO SPECIAL FENCE STYLE 26.	57 in.	11.5 lbs.	.90
	51 in.	10.5 lbs.	.82
	45 in.	9.6 lbs.	.75
	39 in.	8.6 lbs.	.67
	33 in.	7.9 lbs.	.62
	27 in.	7.3 lbs.	.57
	22½ in.	6.6 lbs.	.52
	60 in.	13.2 lbs.	1.03
KOKOMO STANDARD FENCE STYLE 25.	54 in.	12.3 lbs.	.96
	48 in.	11.5 lbs.	.90
	42 in.	10.4 lbs.	.81
	36 in.	9.4 lbs.	.74
	30 in.	8.4 lbs.	.66
	25½ in.	7.5 lbs.	.59
	21 in.	6.6 lbs.	.52
	57 in.	12.5 lbs.	.97
KOKOMO STANDARD FENCE STYLE 26	51 in.	11.5 lbs.	.90
	45 in.	10.4 lbs.	.81
	39 in.	9.4 lbs.	.73
	33 in.	8.5 lbs.	.67
	27 in.	7.9 lbs.	.62
	22½ in.	7. lbs.	.55

PRICES TO AGENTS.—Continued.

STYLE	HEIGHT	WT. PER ROD	PRICE PER ROD
STYLE NO. 27 Special With No. 12 & 14 intermediate line wires alternating.	36 in.	8. lbs.	\$.63
	30 in.	7. lbs.	.55
	24 in.	6. lbs.	.47
STYLE NO. 27 Standard With all inter- mediate line wires No. 12.	36 in.	8.6 lbs.	.67
	30 in.	7.6 lbs.	.60
	24 in.	6.4 lbs.	.50

Discount..... car loads.....less car loads.....

The Above Prices F. O. B. Kokomo, Ind.

(13)

Put up in

10, 20, 30 and 40 Rod Rolls


USUAL TERMS EXTENDED

Kokomo Stretchers,

Each Net \$3.00.



Price, Standard Fence with $1\frac{3}{8}$ -in. top rail, all posts $1\frac{3}{4}$ -in. fitted with Style A, 36-in. fabric and white enameled or silver bronzed ornaments, complete, 73 cents per foot. We can furnish the fabric only when desired. See price list.




Price, Standard Fence, $1\frac{3}{8}$ -in. line rail, all posts $1\frac{1}{4}$ -in. with Style B 30-in. fabric and white enameled or silver bronzed ornaments complete, 65 cents per foot. We can furnish the fabric only when desired. See price list.



Price, Standard Fence, $1\frac{3}{8}$ -in. top rail, all posts $1\frac{3}{4}$ -in. complete with Style G. 48-in. fabric, white enameled or silver
— bronzed ornaments, per foot, 76 cents. We can furnish the fabric only when desired. See price list.

Double Strength Diamond Farm Gate



(For description see the following page.)




Double Strength Diamond Farm Gate.



It is made from double strength tubing and double strength fabric which is stayed in two directions by means of double strands of wire which is woven in with the fabric, the cables of which likewise are double so that both the stay and the cables are keyed by means of which the fabric is made tight and which permits of tightening by means of the key at any time. When you close this gate don't walk; take the children and get on it and ride. We guarantee it to be the strongest gate on the market. The tubing is $1\frac{3}{4}$ inches outside diameter and the gate can be furnished in heights from $3\frac{1}{2}$ to $6\frac{1}{2}$ feet high.

ORNAMENTAL POSTS—The Post Determines The Life Of The Fence.



The posts are to a fence what a foundation is to a house. It may well be said that no fence can outlast the post that supports it. That our posts will impress you as something that will last, we are certain, after you have

investigated thoroughly its construction. The upper portion of the post is made from steel tubing. Upon the end of this is wrought a large cast anchor, the upper portion of which extends up and around the lower portion of the steel tubing in each post in such a way that a ring of solid cast metal, one-half inch thick, is interposed between the steel tubing and the ground, this ring of metal projecting above the ground. It is a well known fact that just at the surface of the ground is where a post needs the greatest degree of protection. Here is where wood posts rot off, and where iron posts rust off. This is because at the surface the conditions for rusting and rotting are most active. There is no form of iron that resists rust so long as does cast iron; for this reason our anchors are made from this material, and we certainly could not be accused of exaggerating when we say that fifty to seventy-five years would be required to rust away this ring of cast metal, and this must occur before the steel tubing in the posts could be affected. The anchors for the gate, corner and end posts are four-flange, and consequently a little heavier than the anchors for the line posts, which are three-flange. The weight of the corner, gate and end post anchors is about 24 pounds, and the line post anchors about 18 pounds. When purchasing a fence consider well the posts, and unless they are specially constructed to counteract the action of the elements of the ground surface, they are not worth your consideration. There is no post on the market today that can compare with ours in this respect.

Ornamental Fence

PRICE LIST.

STANDARD FENCE.

Prices on Standard fences complete, which includes $1\frac{3}{4}$ -inch posts, fitted with heavy drive post anchors, $1\frac{3}{8}$ -inch top rail, malleable post ornaments, finished in white enamel or silver bronze, malleable fittings and connections, braided wire made of four strands galvanized steel wire, f. o. b. cars Kokomo, Indiana.

Height	$31\frac{1}{2}$ -in	fitted with	A 24-in fabric	65c per ft
"	$37\frac{1}{2}$ "	"	" 30 "	" 69c
"	$43\frac{1}{2}$ "	"	" 36 "	" 73c
"	$47\frac{1}{2}$ "	"	" 40 "	" 76c
"	$31\frac{1}{2}$ "	"	B 24 "	" 61c
"	$37\frac{1}{2}$ "	"	" 30 "	" 65c
"	$43\frac{1}{2}$ "	"	" 36 "	" 70c
"	$47\frac{1}{2}$ "	"	" 40 "	" 73c
"	$31\frac{1}{2}$ "	"	G 24 "	" 58c
"	$37\frac{1}{2}$ "	"	" 30 "	" 62c
"	$43\frac{1}{2}$ "	"	" 36 "	" 65c
"	$49\frac{1}{2}$ "	"	" 42 "	" 71c
"	$55\frac{1}{2}$ "	"	" 48 "	" 76c
"	$49\frac{1}{2}$ "	"	E 42 "	" 84c
"	$55\frac{1}{2}$ "	"	" 48 "	" 90c
"	$49\frac{1}{2}$ "	"	F 42 "	" 80c
"	$55\frac{1}{2}$ "	"	" 48 "	" 86c

KOKOMO JUNIOR FENCE.

Prices on Kokomo Junior fence complete with $1\frac{1}{8}$ -in top rail, $1\frac{3}{8}$ -in line posts, $1\frac{3}{4}$ -in gate, corner and end post, posts fitted with heavy cast drive base, all post ornaments malleable iron, white enamel or silver bronze, all fitting and connections malleable with braided wire, everything complete, f. o. b. cars Kokomo, Indiana.

Height	$31\frac{1}{2}$ -in	fitted with	A 24-in fabric	60c per ft
"	$37\frac{1}{2}$ "	"	" 30 "	" 64c
"	$43\frac{1}{2}$ "	"	" 36 "	" 67c
"	$47\frac{1}{2}$ "	"	" 40 "	" 71c

PRICE LIST—Continued.

Height 31½-in fitted with B 24-in fabric	56c	per ft
" 37½ "	" 30 "	" 60c "
" 43½ "	" 36 "	" 64c "
" 47½ "	" 40 "	" 68c "
" 31½ "	" G 24 "	" 53c "
" 37½ "	" 30 "	" 56c "
" 43½ "	" 36 "	" 60c "
" 49½ "	" 42 "	" 65c "
" 55½ "	" 48 "	" 71c "
" 49½ "	" E 42 "	" 79c "
" 55½ "	" 48 "	" 84c "
" 49½ "	" F 42 "	" 75c "
" 55½ "	" 48 "	" 80c "

STYLE D TUBULAR FENCE.

Prices on style D tubular fence, fitted with 1¾ inch steel posts, top rail 1½-in outside diameter, inter-connecting bars 1½-in outside diameter; all fittings and connections malleable iron; all posts fitted with heavy cast drive anchors, with ornamental balls complete finished in silver bronze, white enamel or black, f. o. b. cars, Kokomo, Indiana.

(2)

Height 30-in with one rail.....	62 cents per foot
" 36 " " two rails.....	" 74 "
" 48 " " three rails.....	" 82 "

STYLE J CEMETERY AND LAWN FENCE.

Prices on style J cemetery and lawn fence with 1¾-in posts fitted with heavy cast drive base, 1½-in railing, all post ornaments malleable iron, fittings and connections malleable iron, with braided wire made from four strands of galvanized wire, ornamental chain and ornaments, finished in silver bronze, white enamel or black, f. o. b. cars Kokomo, Indiana.

One rail and chain.....	80 cents per foot
Two rails and chain	" 91 "
Three rails and chain.....	\$1.00 " "

FABRICS.

Prices on fabrics only. These fabrics are made from No. 11 steel wire, and the prices given below

PRICE LIST—Continued.

are per foot for the fabrics only; these fabrics may be mounted on wood post, or any other manner desired. We do not sell wood posts. Prices f. o. b. cars Kokomo, Indiana.

Style A 18-in fabric.....	18 cents per foot
“ 24 “ “	20 “ “
“ 30 “ “	22 “ “
“ 36 “ “	24 “ “
“ 40 “ “	26 “ “
“ B 24 “ “	16 “ “
“ 30 “ “	18 “ “
“ 36 “ “	20 “ “
“ 40 “ “	22 “ “
“ G 18 “ “	12 “ “
“ 24 “ “	13 “ “
“ 30 “ “	15 “ “
“ 36 “ “	17 “ “
“ 42 “ “	21 “ “
“ 48 “ “	23 “ “
“ E 42 “ “	27 “ “
“ 48 “ “	30 “ “
“ F 42 “ “	25 “ “
“ 48 “ “	28 “ “

POSTS AND OTHER SUPPLIES.

1¾-in Gate, Corner, End and Line posts, including ornaments and other fittings for 24, 30 and 36 inch fabric, each.....	\$1.90
1¾-in Gate. Corner, End and Line posts. including ornaments and other fittings for 42 and 48 inch fabric, each.....	\$2 15
1¾-in line posts for Junior fence, including ornaments and other fittings for 24, 30 and 36 inch fabric, each.	\$1.50
1¾-in line posts for Junior fence, including ornaments and other fittings for 42 and 48 inch fabric, each	\$1.75
1¾-in top rail for Standard fence, including sleeve ornaments, per foot.....	15 cts
1½-in top rail for Junior fence, including sleeve ornaments, per foot.....	12 cts
Braided wire, per foot.....	3 cts
Hitching posts, each.....	\$2.50
Nickle sleeve ornaments, each.....	90 net extra

PRICE LIST—Continued.

Nickle name plates, each....\$2.00 to \$3.00 net extra
Nickle Corner, Gate and End post
ornaments.....\$1.00 net extra

ORNAMENTAL SINGLE GATES, INCLUDING
HINGES, LATCHES, ETC., FOR EITHER
WOOD OR IRON POSTS.

WIDTH	PLAIN	ORNAMENTAL
2½ feet.....	\$4.20	\$ 4.60
3 feet.....	4.55	4.95
3½ feet.....	4.70	5.10
4 feet.....	5.20	5.50
4½ feet.....	5.45	5.90
5 feet.....	5.80	6.30
5½ feet.....	6.20	6.80
6 feet.....	6.60	7.10
6½ feet.....	7.00	7.60
8 feet.....	7.40	8.00
10 feet.....	7.80	9.40
12 feet.....	9.25	10.00

(23)

DOUBLE GATES.

WIDTH	PLAIN	ORNAMENTAL
8 feet.....	\$10.00	\$11.00
10 feet.....	11.00	12.00
12 feet.....	12.50	13.50
14 feet.....	13.50	14.50

DOUBLE-STRENGTH DIAMOND FARM GATE

10 foot.....	\$10.00
11 foot.....	11.00
12 foot.....	12.00
13 foot.....	13.00
14 foot.....	14.00

ORNAMENTAL FARM GATES FITTED WITH
STYLE G FABRIC.

PLAIN	ORNAMENTAL
10 foot.....\$10.00	10 foot.....\$11.50
11 foot..... 11.00	11 foot..... 12.50
12 foot..... 12.00	12 foot..... 13.50

All prices herein are f. o. b. Kokomo, Indiana.


Kokomo Steel & Wire Co.

Manufacturers of

Wire Nails, Plain and Galvanized Wire,

Special Brands Painted and Galvanized Barb Wire, Market Wire. Wire straightened and cut to lengths. Coiled Spring Wire, Hercules Wire, Ornamental Fencing, Bank Railing, Window Guards.

Steel Farm Fence Posts.



Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX

